

# Phonak Audéo L RIC Order Form

For mild to severe hearing losses



Phonak Audéo L is a comprehensive RIC portfolio and includes four designs, four performance levels and five external receivers, including the ActiveVent™ receiver. Powered by the innovative technology of the Phonak Lumity platform, Phonak Audéo L hearing aids are the solution for those clients that prefer flexible and discreet RIC housings.

Phonak Slim is a design form factor in the Lumity RIC portfolio for mild to severe hearing losses. It is compatible with four external receivers including the ActiveVent™ Receiver.

Phonak Audéo Fit is suitable for mild to severe hearing losses and has a heart rate sensor that can track the body's health data which can be viewed with the myPhonak app.

## Step 1: Order details

Account Number : \_\_\_\_\_

Hearing Clinic: \_\_\_\_\_

Delivery Address: \_\_\_\_\_

Contact Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Email Address: \_\_\_\_\_

Date Ordered: \_\_\_\_\_ Date Required: \_\_\_\_\_

## Step 2: Patient information

Name: \_\_\_\_\_

Audiogram: (Required for Intellivent option)

	kHz	0.25	0.5	1	2	4
LEFT AC (dB HL)						
RIGHT AC (dB HL)						

## Step 3: Warranty/VIP service

4<sup>th</sup> year warranty (charges will apply)  VIP 24 hour service (\$57.75 incl GST) (VIP not available for Titanium products)

## Step 4: Choose hearing instrument (see following page for mould order, HSP codes and colour options)

L	R	Model	Part No.	Colour
<input type="checkbox"/>	<input type="checkbox"/>	L90-312	050-1094-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L70-312	050-1093-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L50-312	050-1092-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L30-312	050-1091-xx	

L	R	Model	Part No.	Colour
<input type="checkbox"/>	<input type="checkbox"/>	L90-R	050-0889-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L70-R	050-0888-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L50-R	050-0875-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L30-R	050-0874-xx	

L	R	Model	Part No.	Colour
<input type="checkbox"/>	<input type="checkbox"/>	L90-RT	050-1000-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L70-RT	050-0999-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L50-RT	050-0998-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L30-RT	050-1006-xx	

L	R	Model	Part No.	Colour
<input type="checkbox"/>	<input type="checkbox"/>	L90-RL	050-1002-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L70-RL	050-1001-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L50-RL	050-1012-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L30-RL	050-1011-xx	

R	Model	Part No.	Colour
<input type="checkbox"/>	Slim L90-R	050-0851-xx	
<input type="checkbox"/>	Slim L90-R	050-0850-xx	
<input type="checkbox"/>	Slim L70-R	050-0849-xx	
<input type="checkbox"/>	Slim L70-R	050-0848-xx	

R	Model	Part No.	Colour
<input type="checkbox"/>	Slim L50-R	050-1010-xx	
<input type="checkbox"/>	Slim L50-R	050-1009-xx	
<input type="checkbox"/>	Slim L30-R	050-1008-xx	
<input type="checkbox"/>	Slim L30-R	050-1007-xx	

L	R	Model	Part No.	Colour
<input type="checkbox"/>	<input type="checkbox"/>	L90-R Fit	050-1027-xx	
<input type="checkbox"/>	<input type="checkbox"/>	L70-R Fit	050-1026-xx	

## Step 5(a): Choose receiver option (Sound Delivery System version 5.0 only)

Standard		Medium		Power		UltraPower – cShell only HF3 filter recommended (NOT compatible with Phonak Slim)	
<input type="checkbox"/> S 0-L	<input type="checkbox"/> S 0-R	<input type="checkbox"/> M 0-L	<input type="checkbox"/> M 0-R	<input type="checkbox"/> P 0-L	<input type="checkbox"/> P 0-R	<input type="checkbox"/> UP 0-L	<input type="checkbox"/> UP 0-R
<input type="checkbox"/> S 1-L	<input type="checkbox"/> S 1-R	<input type="checkbox"/> M 1-L	<input type="checkbox"/> M 1-R	<input type="checkbox"/> P 1-L	<input type="checkbox"/> P 1-R	<input type="checkbox"/> UP 1-L	<input type="checkbox"/> UP 1-R
<input type="checkbox"/> S 2-L	<input type="checkbox"/> S 2-R	<input type="checkbox"/> M 2-L	<input type="checkbox"/> M 2-R	<input type="checkbox"/> P 2-L	<input type="checkbox"/> P 2-R	<input type="checkbox"/> UP 2-L	<input type="checkbox"/> UP 2-R
<input type="checkbox"/> S 3-L	<input type="checkbox"/> S 3-R	<input type="checkbox"/> M 3-L	<input type="checkbox"/> M 3-R	<input type="checkbox"/> P 3-L	<input type="checkbox"/> P 3-R	<input type="checkbox"/> UP 3-L	<input type="checkbox"/> UP 3-R


## Step 5(b): Choose sensor receiver option for Audéo L-R Fit only (Sound Delivery System version 6.0 only)

Medium		Power – Sensor cShell only	
<input type="checkbox"/> Sensor Receiver 0L	<input type="checkbox"/> Sensor Receiver 0R	<input type="checkbox"/> Sensor Receiver 0L	<input type="checkbox"/> Sensor Receiver 0R
<input type="checkbox"/> Sensor Receiver 1L	<input type="checkbox"/> Sensor Receiver 1R	<input type="checkbox"/> Sensor Receiver 1L	<input type="checkbox"/> Sensor Receiver 1R
<input type="checkbox"/> Sensor Receiver 2L	<input type="checkbox"/> Sensor Receiver 2R	<input type="checkbox"/> Sensor Receiver 2L	<input type="checkbox"/> Sensor Receiver 2R
<input type="checkbox"/> Sensor Receiver 3L	<input type="checkbox"/> Sensor Receiver 3R	<input type="checkbox"/> Sensor Receiver 3L	<input type="checkbox"/> Sensor Receiver 3R

## Step 5(c): Choose ActiveVent Receiver option (compatible with Audéo L-R/L-RT/L-RL & Phonak Slim)

Audéo L-RL is compatible with ActiveVent Receiver, however due to the moving parts within ActiveVent and the increased potential for water intrusion into the receiver, it is not recommended for use with Audéo L-RL.

Moderate		(a) Choose earpieces – SlimTip Titanium AV (impression required)		(b) Choose Earpieces – Universal Silicone SlimTip AV (impression not required)	
<input type="checkbox"/> MAV Receiver 0L	<input type="checkbox"/> MAV Receiver 0R	L	R	<input type="checkbox"/> Universal SlimTip AV A-L	<input type="checkbox"/> Universal SlimTip AV C-L
<input type="checkbox"/> MAV Receiver 1L	<input type="checkbox"/> MAV Receiver 1R	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Universal SlimTip AV A-R	<input type="checkbox"/> Universal SlimTip AV C-R
<input type="checkbox"/> MAV Receiver 2L	<input type="checkbox"/> MAV Receiver 2R	SlimTip Titanium AV		<input type="checkbox"/> Universal SlimTip AV B-L	<input type="checkbox"/> Universal SlimTip AV D-L
<input type="checkbox"/> MAV Receiver 3L	<input type="checkbox"/> MAV Receiver 3R			<input type="checkbox"/> Universal SlimTip AV B-R	<input type="checkbox"/> Universal SlimTip AV D-R



## Step 6 (a): Choose dome coupling option (custom ear piece option below)

Dome style		
Cap*	<input type="checkbox"/> Left	<input type="checkbox"/> Right
Open*	<input type="checkbox"/> Left	<input type="checkbox"/> Right
Vented	<input type="checkbox"/> Left	<input type="checkbox"/> Right
Power	<input type="checkbox"/> Left	<input type="checkbox"/> Right
Vented Clear*	<input type="checkbox"/> Left	<input type="checkbox"/> Right

Dome size		
<input type="checkbox"/> Small	<input type="checkbox"/> Medium	<input type="checkbox"/> Large
<input type="checkbox"/> Small	<input type="checkbox"/> Medium	<input type="checkbox"/> Large
<input type="checkbox"/> Small	<input type="checkbox"/> Medium	<input type="checkbox"/> Large
<input type="checkbox"/> Small	<input type="checkbox"/> Medium	<input type="checkbox"/> Large



\* Please note these are the only options available to order with Audéo L-R Fit

## Step 6 (b): Choose custom ear piece option (impression required)

SimTip (removeable earpiece)

L	R
Material	
<input type="checkbox"/> Hard Acrylic	<input type="checkbox"/> Hard Acrylic
<input type="checkbox"/> Soft Silicone	<input type="checkbox"/> Soft Silicone
Shell colour	
<input checked="" type="checkbox"/> Clear (21)	<input checked="" type="checkbox"/> Clear (21)
<input type="checkbox"/> Rosa Tint (T)	<input type="checkbox"/> Rosa Tint (T)
<input type="checkbox"/> Beige/Pink (26) (hard only)	<input type="checkbox"/> Beige/Pink (26) (hard only)
<input type="checkbox"/> Tan (14) (hard only)	<input type="checkbox"/> Tan (14) (hard only)

cShell Acrylic

cShell Titanium\*\*^

L	R
Shell colour	
<input checked="" type="checkbox"/> Beige/Pink (26)	<input checked="" type="checkbox"/> Beige/Pink (26)
<input type="checkbox"/> Clear (21)	<input type="checkbox"/> Clear (21)
<input type="checkbox"/> Tan (14)	<input type="checkbox"/> Tan (14)
Faceplate colour	
<input checked="" type="checkbox"/> Pink (26)	<input checked="" type="checkbox"/> Pink (26)
<input type="checkbox"/> Cocoa (22)	<input type="checkbox"/> Cocoa (22)
<input type="checkbox"/> Brown (28)	<input type="checkbox"/> Brown (28)
<input type="checkbox"/> Transparent (13)	<input type="checkbox"/> Transparent (13)
<input type="checkbox"/> Tan (14)	<input type="checkbox"/> Tan (14)
<input type="checkbox"/> Black Transp. (47)	<input type="checkbox"/> Black Transp. (47)

Sensor cShell (062-0051)\* (Only custom ear piece option for Audéo P-R Fit)

L	R
Shell colour	
<input type="checkbox"/> Tan (14)	<input type="checkbox"/> Tan (14)
<input checked="" type="checkbox"/> Pink (26)	<input checked="" type="checkbox"/> Pink (26)
<input type="checkbox"/> Cocoa (22)	<input type="checkbox"/> Cocoa (22)
<input type="checkbox"/> Brown (28)	<input type="checkbox"/> Brown (28)
<input type="checkbox"/> Black (06)	<input type="checkbox"/> Black (06)
Faceplate colour	
<input type="checkbox"/> Tan (14)	<input type="checkbox"/> Tan (14)
<input type="checkbox"/> Cocoa (22)	<input type="checkbox"/> Cocoa (22)
<input checked="" type="checkbox"/> Pink (26)	<input checked="" type="checkbox"/> Pink (26)
<input type="checkbox"/> Brown (28)	<input type="checkbox"/> Brown (28)

Impressions

New impressions enclosed

Use scanned data Existing serial number:

Okay to change to cShell if SlimTip not possible

\* Please note cShell Titanium products are not included free of charge with hearing aid order.

S = Standard, will default if no other selection ticked

^ Please note cShell Titanium is only available in Titanium shell colour and Black faceplate colour.

\* Please note Sensor cShell is only available to order with Audéo P-R Fit

## Step 7: Choose venting, wax management and handling options

Venting (mm)

L	R
<input type="checkbox"/>	<input type="checkbox"/>
AOV Smart vent size calculation. Requires AC thresholds.	
<input type="checkbox"/>	<input type="checkbox"/>
Occluded	
<input type="checkbox"/>	<input type="checkbox"/>
1.0mm	
<input type="checkbox"/>	<input type="checkbox"/>
1.1 - 1.6mm	
<input type="checkbox"/>	<input type="checkbox"/>
1.7 - 2.2mm	
<input type="checkbox"/>	<input type="checkbox"/>
2.3 - 3.0mm	
<input type="checkbox"/>	<input type="checkbox"/>
Open	

Wax management

L	R
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SlimTip Hard Acrylic Cerustop (CS)	
<input type="checkbox"/>	<input type="checkbox"/>
Ext. receiver tube + wax spring (WE)	
<input type="checkbox"/>	<input type="checkbox"/>
None (X)	
L	R
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SlimTip Soft Silicone None (X)	
L	R
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
cShell Cerustop (CS)	
<input type="checkbox"/>	<input type="checkbox"/>
HF3 (recommended for UP Rx) (H3)	
<input type="checkbox"/>	<input type="checkbox"/>
HF4 (H4)	
<input type="checkbox"/>	<input type="checkbox"/>
Ext. receiver tube + wax spring* (WE)	

Handling

L	R
<input type="checkbox"/>	<input type="checkbox"/>
Removal Line (RF)	
<input type="checkbox"/>	<input type="checkbox"/>
Removal Line + 5mm extension (RFE)	
<input type="checkbox"/>	<input type="checkbox"/>
Canal Lock (CL)	
<input type="checkbox"/>	<input type="checkbox"/>
Skeleton Lock (SL)	

\*Cerustop default option for SlimTip HA and only option for SlimTip Titanium.

Please note: A coupling code representing actual vent size is printed on custom earpieces. Please enter this code into Phonak Target when programming your client's hearing aids.

\*\*Not applicable for cShell Titanium.

## Step 8: CROS Fitting?

CROS L is compatible with Audéo L-R & Audéo L-RT only.

CROS L transmitter required. Please complete the Phonak CROS L Order Form

Do not require a CROS L transmitter

## Special requests:

## Step 8: Choose accessories

Complimentary charging accessory (for Audéo L-R/L-RT/L-R Fit)

Phonak Charger Ease (075-0080-10)

Complimentary charging accessory (for Audéo L-RL)

Phonak Charger Case & Go (075-3017-10)

Phonak Life Charger (075-3023-10)

Complimentary charging accessory (for Phonak Slim)

Phonak Slim Charger (075-3024-10)

Other accessories

TV Connector (076-3006-06)

Remote Control (076-0065-P5)

PartnerMic (076-4001-P510)

Roger Accessories - please complete the Phonak Roger Order Form

## Additional information

### HSP codes

Model	HSP codes	Category
L90-312	B838PHO	C2
L70-312	B839PHO	C2
L50-312	B840PHO	C2
L30-312	B841PHO	C2

Model	HSP codes	Category
L90-R	B766PHO	C2
L70-R	B767PHO	C2
L50-R	B768PHO	C2
L30-R	B769PHO	C2

Model	HSP codes	Category
L90-RT	B770PHO	C2
L70-RT	B771PHO	C2
L50-RT	B772PHO	C2
L30-RT	B773PHO	C2

Model	HSP codes	Category
L90-RL	B762PHO	C2
L70-RL	B763PHO	C2
L50-RL	B764PHO	C2
L30-RL	B765PHO	C2

Model	HSP codes	Category
Slim L90-R	B783PHO	C2
Slim L70-R	B784PHO	C2
Slim L50-R	B789PHO	C2
Slim L30-R	B790PHO	C2

Model	HSP codes	Category
L90-R Fit	B806PHO	C2
L70-R Fit	B807PHO	C2

### Housing colours

<b>P1</b> Sand Beige*	<b>P3</b> Sandalwood	<b>P4</b> Chestnut*	<b>P5</b> Champagne
<b>P6</b> Silver Gray*	<b>P7</b> Graphite Gray	<b>P8</b> Velvet Black	<b>H0</b> Beige
<b>Q2</b> Electric Green**	<b>Q3</b> Caribbean Pirate**	<b>T3</b> Precious Pink**	


\* Only available for Audéo Fit

\*\* Only available for Audéo L-312, L-R, L-RT, L-RL

### Housing Colours for Phonak Slim only



### Audéo L-R/L-RT/L-RL charging accessories



### Models



### Other accessories

